Contents

Volume 82, Number 1, January 1997

1 Editorial

3 Instructions to authors

7 Resistance to chlorine of freshwater bacterial strains *J. Mir, J. Morató & F. Ribas*

19 Enterotoxin and cytotoxin production by *Salmonella enteritidis* strains isolated from gastroenteritis outbreaks *M. T. Rumeu, M. A. Suárez, S. Morales & R. Rotger*

32 Nisin induces changes in membrane fatty acid composition of *Listeria monocytogenes* nisin-resistant strains at 10°C and 30°C *A. S. Mazzotta & T. J. Montville*

39 Filtration of bacteria and yeast by ultrasound-enhanced sedimentation *J. J. Hawkes, M. S. Limaye & W. T. Coakley*

48 The effect of temperature on the germination of single spores of *Clostridium botulinum* 62A *C. M.-P. Billon, C. J. McKirgan, P. J. McClure & C. Adair*

57 A longitudinal study of environmental mycobacteria on a farm in south-west England *H. D. Donoghue, E. Overend & J. L. Stanford*

68 Original properties of ropy strains of *Lactobacillus plantarum* isolated from the sour cassava starch fermentation *C. Figueroa, A. M. Davila & J. Pourquié*

73 Isolation and partial properties of cellulose-decomposing strain of *Cytophaga* sp. LX-7 from soil *X. Li & P. Gao*

81 Effect of pH, temperature and culture medium composition on the production of an extracellular cysteine proteinase by *Micrococcus* sp. INIA 528 *A. F. Mohedano, J. Fernández, P. Gaya, M. Medina & M. Nuñez*

87 Evidence of membrane damage in *Lactobacillus bulgaricus* following freeze drying *H. P. Castro, P. M. Teixeira & R. Kirby*

95 Influence of end-products inhibition and nutrient limitations on the growth of *Lactococcus lactis* subsp. *lactis* *P. Loubiere, M. Cocaign-Bousquet, J. Matos, G. Goma & N. D. Lindley*

101 Effects of the kinetics of water potential variation on bacteria viability *I. Poirier, P.-A. Maréchal & P. Gervais*

107 Aspects of the mechanisms of action of biguanides on trophozoites and cysts of *Acanthamoeba castellanii* *W. Khunkitti, D. Lloyd, J. R. Furr & A. D. Russell*

115 Viability of *Cryptosporidium parvum* during ensilage of perennial ryegrass *R. J. Merry, J. L. Mawdsley, A. E. Brooks & D. R. Davies*

121 Comparison of some decontamination methods and growth media for isolation of mycobacteria from northern brook waters *E. Iivanainen, P. J. Martikainen & M.-L. Katila*

128 Combining heat treatment and subsequent incubation temperature to prevent growth from spores of non-proteolytic *Clostridium botulinum* *S. C. Stringer, D. A. Fairbairn & M. W. Peck*

137 *Note*: Occurrence and persistence of culturable clostridial spores on the leaves of horticultural plants *G. L. Ercolani*

Volume 82, Number 2, February 1997

141 Purification and characterization of a collagenolytic enzyme produced by *Rathayibacter* sp. strains isolated from cultures of *Clavibacter michiganensis* subsp. *michiganensis* *J. Labadie & M. Hébraud*

149 Purification and characterization of the protease enzymes of *Streptomyces thermovulgaris* grown in rapemeal-derived media *K. H. Yeoman & C. Edwards*

157 High affinity iron-uptake systems in *Vibrio damsela*: role in the acquisition of iron from transferrin *B. Fouz, E. G. Biosca & C. Amaro*

168 A comparison of quantitative structure–activity relationships for the effect of benzoic and cinnamic acids on *Listeria monocytogenes* using multiple linear regression, artificial neural network and fuzzy systems *M. E. Ramos-Nino, C. A. Ramirez-Rodriguez, M. N. Clifford & M. R. Adams*

177 Expression cloning of different bacterial phosphatase-encoding genes by histochemical screening of genomic libraries onto an indicator medium containing phenolphthalein diphosphate and methyl green *M. L. Riccio, G. M. Rossolini, G. Lombardi, A. Chiesurin & G. Satta*

186 Anaerobic biodegradation of pentachlorophenol in a liquor obtained after extraction of contaminated chips and wood powder *R. Beaudet, G. McSween, F. Lépine, S. Milot & J.-G. Bisaillon*

191 Regulation of aspartokinase in *Lactobacillus plantarum* *O. O. Adebawo, J. L. Ruiz-Barba, P. J. Warner & G. B. O. Oguntimein*

197 Invasion of bovine epithelial cells by verocytotoxin-producing *Escherichia coli* O157:H7 *K. R. Matthews, P. A. Murdough & A. J. Bramley*

204 Cell-surface hydrophobicity and scum formation of *Rhodococcus rhodochrous* strains with different colonial morphologies *M. Sunairi, N. Iwabuchi, Y. Yoshizawa, H. Murooka, H. Morisaki & M. Nakajima*

211 *Vibrio anguillarum* serogroup O3 and *V. anguillarum*-like serogroup O3 cross-reactive species—comparison and characterization *T. Tiainen, K. Pedersen & J. L. Larsen*

219 Seasonality of thermophilic *Campylobacter* populations in chickens *J. S. Wallace, K. N. Stanley, J. E. Currie, P. J. Diggle & K. Jones*

225 Development of a surface adhesion immunofluorescent technique for the rapid isolation of *Listeria monocytogenes* and *Listeria innocua* from meat *J. J. Sheridan, G. Duffy, D. A. McDowell & I. S. Blair*

233 Purification and characterization of the lytic activity induced by the prolate-headed bacteriophage P001 in *Lactococcus lactis S. Hertwig, W. Bockelmann & M. Teuber*

240 Conjugal transfer of plasmids and antibiotic resistance among *Escherichia coli* isolated from animals in a rural area in Sarawak (Malaysia) *R. Son, G. Rusul & M. I. A. Karim*

245 Metal tolerance and antibiotic resistance patterns of a bacterial population isolated from sea water *S. A. Sabry, H. A. Ghozlan & D.-M. Abou-Zeid*

253 Natural occurrence of *Bacillus thuringiensis* on cabbage foliage and in insects associated with cabbage crops *P. H. Damgaard, B. M. Hansen, J. C. Pedersen & J. Eilenberg*

259 Microtitre plate hybridization system for detection of thermophilic *Campylobacter* rRNA *M. Lamoureux, I. Fliss, B. W. Blais, S. Messier, R. A. Holley & R. E. Simard*

267 Non-variable sources of pure water and the germination and outgrowth of *Bacillus subtilis* spores *A. G. Knott, B. N. Dancer, A. C.Hann & A. D. Russell*

Volume 82, Number 3, March 1997

273 Inhibition of *Listeria monocytogenes* by piscicolin 126 in milk and Camembert cheese manufactured with a thermophilic starter *J. Wan, K. Harmark, B. E. Davidson, A. J. Hillier, J. B. Gordon, A. Wilcock, M. W. Hickey & M. J. Coventry*

281 Phages of enteric bacteria in fresh water with different levels of faecal pollution *R. M. Araujo, A. Puig, J. Lasobras, F. Lucena & J. Jofre*

287 Contamination of microbial foreign bodies in bottled mineral water in Tokyo, Japan *H. Fujikawa, T. Wauke, J. Kusunoki, Y. Noguchi, Y. Takahashi, K. Ohta & T. Itoh*

292 Distribution and sources of microbial contamination on beef carcasses *R. G. Bell*

301 Relationship between respiratory enzymes and survival of *Escherichia coli* under starvation stress in lake water *R. Özkanca & K. P. Flint*

310 Kinetic studies of biodegradation of insoluble compounds by continuous determination of oxygen consumption *M. Bouchez, D. Blanchet, B. Besnainou, J.-Y. Leveau & J.-P. Vandecasteele*

317 Reduced oxidation of fresh pork in the presence of exogenous hydrolases and bacteria at 2°C *Y. J. Chung-Wang, M. E. Bailey & R. T. Marshall*

325 A gene encoding for an α-amylase from thermophilic *Bacillus* sp. strain TS-23 and its expression in *Escherichia coli L.-L. Lin, W.-H. Hsu & W.-S. Chu*

335 Diversity of DNA sequences among *Vibrio cholerae* O1 and non-O1 isolates detected by whole-cell repetitive element sequence-based polymerase chain reaction *Y.-H. Shangkuan, H.-C. Lin & T.-M. Wang*

345 Modelling the growth, survival and death of *Listeria monocytogenes J. M. Membré, J. Thurette & M. Catteau*

351 Growth-mediated variations in fatty acids of *Xenorhabdus* sp. *M. A. Abu Hatab & R. Gaugler*

359 Rapid estimation of spoilage bacterial load in aerobically stored meat by a quantitative polymerase chain reaction *K. S. Venkitanarayanan, C. Faustman, J. F. Crivello, M. I. Khan, T. A. Hoagland & B. W. Berry*

365 Pathogenicity of *Vibrio anguillarum* serogroup O1 strains compared to plasmids, outer membrane protein profiles and siderophore production *K. Pedersen, L. Gram, D. A. Austin & B. Austin*

372 Identification and isolation of a bactericidal domain in chicken egg white lysozyme *A. Pellegrini, U. Thomas, N. Bramaz, S. Klauser, P. Hunziker & R. von Fellenberg*

379 Transposon mutagenesis and strain construction in *Zymomonas mobilis K.-M. Pappas, I. Galani & M. A. Typas*

389 Characterization of *Erwinia amylovora* strains using random amplified polymorphic DNA fragments (RAPDs) *M. T. Momol, E. A. Momol, W. F. Lamboy, J. L. Norelli, S. V. Beer & H. S. Aldwinckle*

399 Isolation of Vero cytotoxin-producing *Escherichia coli* O157 from wild birds *J. S. Wallace, T. Cheasty & K. Jones*

Volume 82, Number 4, April 1997

405 Phenotypic and phylogenetic description of an Italian isolate of "*Microthrix parvicella*" *S. Rossetti, C. Christensson, L. L. Blackall & V. Tandoi*

411 The filamentous morphotype Eikelboom Type 1863 is not a single genetic entity *E. M. Seviour, L. L. Blackall, C. Christensson, P. Hugenholtz, M. A. Cunningham, D. Bradford, H. M. Stratton & R. J. Seviour*

422 *Alteromonas infernus* sp. nov., a new polysaccharide-producing bacterium isolated from a deep-sea hydrothermal vent *G. H. C. Raguénès, A. Peres, R. Ruimy, P. Pignet, R. Christen, M. Loaec, H. Rougeaux, G. Barbier & J. G. Guezennec*

431 Replication of coliphage Qβ as affected by host cell number, nutrition, competition from insusceptible cells and non-FRNA coliphages *M. A. Woody & D. O. Cliver*

441 Biodegradation of aniline, anthracene, chlornitrophen, fenitrothion and linear alkylbenzene sulphonate in pond water *T. Nishihara, S. Hasebe, J. Nishikawa & M. Kondo*

448 Mechanisms of biocontrol by *Pantoea dispersa* of sugar cane leaf scald disease caused by *Xanthomonas albilineans* *L. Zhang & R. G. Birch*

455 Analysis of cytotoxicity and invasiveness of heterotrophic plate count bacteria (HPC) isolated from drinking water on blood media *S. C. Edberg, S. Kops, C. Kontnick & M. Escarzaga*

462 Relative toxicity of native Chilean *Bacillus thuringiensis* strains against *Scrobipalpuloides absoluta* (Lepidoptera: Gelechiidae) *C. Theoduloz, P. Roman, J. Bravo, C. Padilla, C. Vasquez, L. Meza-Zepeda & L. Meza-Basso*

469 Purification and characterization of an intracellular β-glucosidase from a new strain of *Leuconostoc mesenteroides* isolated from cassava *Y. Gueguen, P. Chemardin, P. Labrot, A. Arnaud & P. Galzy*

477 Evaluation of the resolving power of three different DNA fingerprinting methods to discriminate among isolates of a natural *Rhizobium meliloti* population *S. Niemann, A. Pühler, H.-V. Tichy, R. Simon & W. Selbitschka*

485 Comparison of type A enterotoxigenic *Staphylococcus aureus* strains isolated from geographically far distant locations by pulsed field gel electrophoresis *H.-Y. Tsen, G.-K. Yu & H.-H. Hu*

494 Conventional and molecular approaches to isolates of *Salmonella hadar* from sporadic and epidemic cases *M. Fantasia, B. Paglietti, E. Filetici, M. P. Anastasio & S. Rubino*

499 The role of antibiotic production by a strain of *Pseudomonas fluorescens* in the suppression of *Pseudocercosporella herpotrichoides*, the causal agent of eyespot disease of cereals *J. P. Clarkson & J. A. Lucas*

507 *Salmonella* DNA persistence in natural seawaters using PCR analysis *E. Dupray, M. P. Caprais, A. Derrien & P. Fach*

511 Evaluation of the Phene Plate generalized microplate for metabolic fingerprinting and for measuring fermentative capacity of mixed bacterial populations *M. Katouli, E. Foo, I. Kühn & R. Möllby*

519 Glutaraldehyde-resistant *Mycobacterium chelonae* from endoscope washer disinfectors *P. A. Griffiths, J. R. Babb, C. R. Bradley & A. P. Fraise*

527 Genetic diversity of *Bradyrhizobium japonicum* field population revealed by RAPD fingerprinting *S. Sikora, S. Redzepovic, I. Pejic & V. Kozumplik*

532 *Note:* Cyclohexenoesculetin-β-D-glucoside: a new substrate for the detection of bacterial β-D-glucosidase *A. L. James, J. D. Perry, M. Ford, L. Armstrong & F. K. Gould*

Volume 82, Number 5, May 1997

537 *A Review:* Detection of *Escherichia coli* O157:H7 and other verocytotoxin-producing *E. coli* (VTEC) in food *C. Vernozy-Rozand*

552 Biological indicators for low temperature steam and formaldehyde sterilization: effect of variations in recovery conditions on the response of spores of *Bacillus stearothermophilus* NCIMB 8224 to low temperature steam and formaldehyde *A. M. Wright, E. V. Hoxey, C. J. Soper & D. J. G. Davies*

557 Pril–ampicillin–dextrin–ethanol agar for the isolation and quantification of *Aeromonas* spp. from polluted environmental waters *B. Imziln, O. M. Y. Lafdal, M. Barakate, L. Hassani, Y. Ouhdouch, A. Boussaid & M. Jana*

567 Expanded models for the non-thermal inactivation of *Listeria monocytogenes R. L. Buchanan, M. H. Golden & J. G. Phillips*

578 Characterization of strains of *Leuconostoc mesenteroides* by analysis of soluble whole-cell protein pattern, DNA fingerprinting and restriction of ribosomal DNA *F. Villani, G. Moschetti, G. Blaiotta & S. Coppola*

589 Isolation and identification of *Burkholderia pseudomallei* from soil using selective culture techniques and the polymerase chain reaction *M. D. Brook, B. Currie & P. M. Desmarchelier*

597 Isolation and characterization of coliforms from glacial ice and water in Canada's High Arctic *S. J. Dancer, P. Shears & D. J. Platt*

610 The effects of growth dynamics upon pH gradient formation within and around subsurface colonies of *Salmonella typhimurium S. L. Walker, T. F. Brocklehurst & J. W. T. Wimpenny*

615 Glycerol and other fermentation products of apiculate wine yeasts *P. Romano, G. Suzzi, G. Comi, R. Zironi & M. Maifreni*

619 Monoclonal antibody detection of *Clostridium* microcolonies directly on membrane used for milk filtration *P. Batina, F. Arnold, L. Bedouet, G. Robreau, F. Talbot & R. Malcoste*

625 Anti-smooth muscle antibody in clinical human and experimental animal *Mycoplasma pneumoniae* infection *N. Cimolai & A. C. H. Cheong*

631 Changes with growth rate in the membrane lipid composition of and amino acid utilization by continuous cultures of *Campylobacter jejuni S. Leach, P. Harvey & R. Wait*

641 Prevalence of *Listeria* sp. in droppings from urban rooks (*Corvus frugilegus*) *A. Bouttefroy, J. P. Lemaître & A. Rousset*

648 Selective isolation of *Aspergillus niger* mutants with enhanced glucose oxidase production *A. Gromada & J. Fiedurek*

653 Microbial contamination of hydrogel contact lenses *U. Gopinathan, F. Stapleton, S. Sharma, M. D. P. Willcox, D. F. Sweeney, G. N. Rao & B. A. Holden*

659 The survival of *Staphylococcus aureus* during the fermentation and storage of yoghurt *J. Pazakova, P. Turek & A. Laciakova*

663 Synergism in biofilm formation between *Salmonella enteritidis* and a nitrogen-fixing strain of *Klebsiella pneumoniae K. Jones & S. B. Bradshaw*

Volume 82, Number 6, June 1997

669 Induction of α-amylase by maltooligosaccharides in *Thermomonospora curvata J. E. Busch, E. G. Porter & F. J. Stutzenberger*

677 The use of *Bacillus* diarrhoeal enterotoxin (BDE) detection using an ELISA technique in the confirmation of the aetiology of *Bacillus*-mediated diarrhoea *A. Tan, S. Heaton, L. Farr & J. Bates*

683 Effect of growth parameters on the residual activity of *Lactobacillus plantarum* after drying *L. J. M. Linders, G. Meerdink & K Van't Riet*

689 Mycobiota in Portuguese 'normal' and 'green' cork throughout the manufacturing process of stoppers *P. Danesh, F. M. Velez Caldas, J. J. Figueiredo Marques & M. V. San Romão*

695 Presence of additional peptidases in *Streptococcus thermophilus* CNRZ 302 compared to *Lactococcus lactis F. Rul & V. Monnet*

705 Factors contributing to the survival of poultry associated *Pseudomonas* spp. exposed to a quaternary ammonium compound *S. Langsrud & G. Sundheim*

713 Restriction endonuclease analysis, DNA relatedness and phenotypic characterization of *Campylobacter jejuni* and *Camp. coli* isolates involved in food-borne disease *A. Jiménez, J. Barros-Velázquez, J. Rodríguez & T. G. Villa*

722 Identification and characterization of *Lactobacillus* species isolated from fillets of vacuum-packed smoked and salted herring (*Clupea harengus*) *F. Gancel, F. Dzierszinski & R. Tailliez*

729 Determination of bacteria associated with reared turbot (*Scophthalmus maximus*) larvae *A. R. Blanch, M. Alsina, M. Simón & J. Jofre*

735 Effect of high pressure on the reduction of microbial populations in vegetables *G. Arroyo, P. D. Sanz & G. Préstamo*

743 Survival of the recombinant *Bacteroides thetaiotaomicron* strain BTX in *in vitro* rumen incubations *M. A. Cotta, T. R. Whitehead & M. A. Rasmussen*

751 Isolation and characterization of refuse methanogens *J. A. Ladapo & M. A. Barlaz*

759 Bioactivity of selected plant essential oils against *Listeria monocytogenes M. Lis-Balchin & S. G. Deans*

763 Efficacy of three prevention strategies against legionella in cooling water systems *J. M. Kusnetsov, A. I. Tulkki, H. E. Ahonen & P. J. Martikainen*

769 Fate of low temperature and acid-adapted *Yersinia enterocolitica* and *Listeria monocytogenes* that contaminate lactic acid decontaminated meat during chill storage *P. van Netten, A. Valentijn, D. A. A. Mossel & J. H. J. Huis in 't Veld*

780 Research note: *In vitro* inhibition of *Listeria monocytogenes* growth by veillonellae cultures grown on tartrate media *A. Hinton Jr & M. E. Hume*

783 DNA probe and PCR-specific reaction for *Lactobacillus plantarum F. Quere, A. Deschamps & M. C. Urdaci*

791 Index